

## FINAL REPORT

**Albany Memorial Hospital**

600 Northern Blvd  
 Albany, NY 12204  
 P: (518) 471-3015  
 F: (518) 447-3587

**Account #:** 2318  
**SPL Project ID:** 2003-00587  
**Project Name:** Copper Silver  
**PO Number:** 3226-4019  
**Sampled By:** TRP  
**Date Received:** 03/26/2020  
**Date Final:** 03/31/2020

### Summary

This summary is provided for your convenience. Complete report on the following pages.

#### Copper/Silver Analysis

Location	Result	Concentration
1. 6N-619	Complete	Copper: 0.1 mg/L Silver: 0.01 mg/L
2. 6W-W/R	Complete	Copper: 0.2 mg/L Silver: 0.03 mg/L
3. 4N-Shower	Complete	Copper: 0.1 mg/L Silver: 0.02 mg/L
4. 4S-CS	Complete	Copper: 0.1 mg/L Silver: 0.02 mg/L
5. 4CCD-438.01	Complete	Copper: 0.4 mg/L Silver: 0.05 mg/L
6. 4CCD-440.01	Complete	Copper: 0.2 mg/L Silver: 0.03 mg/L
7. 3N-CS	Complete	Copper: 0.2 mg/L Silver: 0.03 mg/L
8. 3S-EX Rm2	Complete	Copper: 0.1 mg/L Silver: 0.03 mg/L
9. 2N-CS	Complete	Copper: 0.1 mg/L Silver: 0.02 mg/L
10. ED-X Rm16	Complete	Copper: 0.3 mg/L Silver: 0.03 mg/L

Approved by: Heidi Jones



Janet E. Stout, Ph.D.  
 Director, Special Pathogens Laboratory

## FINAL REPORT

### Albany Memorial Hospital

600 Northern Blvd  
 Albany, NY 12204  
 P: (518) 471-3015  
 F: (518) 447-3587

**Account #:** 2318  
**SPL Project ID:** 2003-00587  
**Project Name:** Copper Silver  
**PO Number:** 3226-4019  
**Sampled By:** TRP  
**Date Received:** 03/26/2020  
**Date Final:** 03/31/2020

Location:	<b>1. 6N-619</b>	Date Collected:	03/25/2020
Sample ID:	2003-00587.001	Sample Type:	Water
Receipt Temp:		Time Collected:	8:00 am
Test Requested:	Copper/Silver Analysis	Status:	Complete 03/31/2020
Result:	<b>Complete</b>		
Copper:	0.1 mg/L		
Silver:	0.01 mg/L		
Report Comments:	Copper Ions Below Target Range		

Location:	<b>2. 6W-W/R</b>	Date Collected:	03/25/2020
Sample ID:	2003-00587.002	Sample Type:	Water
Receipt Temp:		Time Collected:	8:05 am
Test Requested:	Copper/Silver Analysis	Status:	Complete 03/31/2020
Result:	<b>Complete</b>		
Copper:	0.2 mg/L		
Silver:	0.03 mg/L		

Location:	<b>3. 4N-Shower</b>	Date Collected:	03/25/2020
Sample ID:	2003-00587.003	Sample Type:	Water
Receipt Temp:		Time Collected:	8:10 am
Test Requested:	Copper/Silver Analysis	Status:	Complete 03/31/2020
Result:	<b>Complete</b>		
Copper:	0.1 mg/L		
Silver:	0.02 mg/L		
Report Comments:	Copper Ions Below Target Range		

Location:	<b>4. 4S-CS</b>	Date Collected:	03/25/2020
Sample ID:	2003-00587.004	Sample Type:	Water
Receipt Temp:		Time Collected:	8:15 am
Test Requested:	Copper/Silver Analysis	Status:	Complete 03/31/2020
Result:	<b>Complete</b>		
Copper:	0.1 mg/L		
Silver:	0.02 mg/L		
Report Comments:	Copper Ions Below Target Range		

## FINAL REPORT

**Albany Memorial Hospital**

600 Northern Blvd  
 Albany, NY 12204  
 P: (518) 471-3015  
 F: (518) 447-3587

**Account #:** 2318  
**SPL Project ID:** 2003-00587  
**Project Name:** Copper Silver  
**PO Number:** 3226-4019  
**Sampled By:** TRP  
**Date Received:** 03/26/2020  
**Date Final:** 03/31/2020

<b>Location:</b>	<b>5. 4CCD-438.01</b>	<b>Date Collected:</b>	03/25/2020
<b>Sample ID:</b>	2003-00587.005	<b>Sample Type:</b>	Water
<b>Receipt Temp:</b>		<b>Time Collected:</b>	8:20 am
<b>Test Requested:</b>	Copper/Silver Analysis	<b>Status:</b>	Complete 03/31/2020
<b>Result:</b>	<b>Complete</b>		
<b>Copper:</b>	0.4 mg/L		
<b>Silver:</b>	0.05 mg/L		

<b>Location:</b>	<b>6. 4CCD-440.01</b>	<b>Date Collected:</b>	03/25/2020
<b>Sample ID:</b>	2003-00587.006	<b>Sample Type:</b>	Water
<b>Receipt Temp:</b>		<b>Time Collected:</b>	8:25 am
<b>Test Requested:</b>	Copper/Silver Analysis	<b>Status:</b>	Complete 03/31/2020
<b>Result:</b>	<b>Complete</b>		
<b>Copper:</b>	0.2 mg/L		
<b>Silver:</b>	0.03 mg/L		

<b>Location:</b>	<b>7. 3N-CS</b>	<b>Date Collected:</b>	03/25/2020
<b>Sample ID:</b>	2003-00587.007	<b>Sample Type:</b>	Water
<b>Receipt Temp:</b>		<b>Time Collected:</b>	8:30 am
<b>Test Requested:</b>	Copper/Silver Analysis	<b>Status:</b>	Complete 03/31/2020
<b>Result:</b>	<b>Complete</b>		
<b>Copper:</b>	0.2 mg/L		
<b>Silver:</b>	0.03 mg/L		

<b>Location:</b>	<b>8. 3S-EX Rm2</b>	<b>Date Collected:</b>	03/25/2020
<b>Sample ID:</b>	2003-00587.008	<b>Sample Type:</b>	Water
<b>Receipt Temp:</b>		<b>Time Collected:</b>	8:35 am
<b>Test Requested:</b>	Copper/Silver Analysis	<b>Status:</b>	Complete 03/31/2020
<b>Result:</b>	<b>Complete</b>		
<b>Copper:</b>	0.1 mg/L		
<b>Silver:</b>	0.03 mg/L		
<b>Report Comments:</b>	Copper Ions Below Target Range		

## FINAL REPORT

### Albany Memorial Hospital

600 Northern Blvd  
Albany, NY 12204  
P: (518) 471-3015  
F: (518) 447-3587

**Account #:** 2318  
**SPL Project ID:** 2003-00587  
**Project Name:** Copper Silver  
**PO Number:** 3226-4019  
**Sampled By:** TRP  
**Date Received:** 03/26/2020  
**Date Final:** 03/31/2020

Location:	<b>9. 2N-CS</b>	Date Collected:	03/25/2020
Sample ID:	2003-00587.009	Sample Type:	Water
Receipt Temp:		Time Collected:	8:40 am
Test Requested:	Copper/Silver Analysis	Status:	Complete 03/31/2020
Result:	<b>Complete</b>		
Copper:	0.1 mg/L		
Silver:	0.02 mg/L		
Report Comments:	Copper Ions Below Target Range		

Location:	<b>10. ED-X Rm16</b>	Date Collected:	03/25/2020
Sample ID:	2003-00587.010	Sample Type:	Water
Receipt Temp:		Time Collected:	8:45 am
Test Requested:	Copper/Silver Analysis	Status:	Complete 03/31/2020
Result:	<b>Complete</b>		
Copper:	0.3 mg/L		
Silver:	0.03 mg/L		

Approved by: Heidi Jones



Janet E. Stout, Ph.D.  
Director, Special Pathogens Laboratory

### NOTES

#### Copper/Silver Analysis

- Analysis performed by SPL. Reference Method - EPA 200.8. Results are for information only and not to be used for compliance reporting.
  - Suggested target ranges for ions: Copper 0.2-0.8 mg/L; Silver 0.01-0.08 mg/L.
- Infect Control Hosp Epidemiol 2011;32(2):166-173

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed. This report is not to be reproduced in whole or in part without the expressed consent of SPL. Results apply to the sample as received.